

Raspberry Pi

Visual identity guidelines

© Raspberry Pi Foundation 2016

VISUAL IDENTITY GUIDELINES
CONTENTS

LOGO ---- 1

MINIMUM HEIGHT ---- 2

SPACING ---- 2

RESTRICTIONS ---- 3

SUB-BRANDS ---- 4

POWERED BY PI ---- 4

RASPBERRY JAM ---- 5

COLOUR ---- 6

CORE PALETTE ---- 6

ALTERNATIVE PALETTE ---- 7

USE OF TINTS ---- 8

TYPEFACE ---- 9

FONT PRIMARY ---- 9

FONT SECONDARY ---- 10

PHOTOGRAPHY ---- 11

CONTACT ---- 12



Raspberry Pi logo main



Raspberry Pi logo with text

Logo Minimum Height



30mm / 85px

Minimum height with use of ‘Raspberry Pi’ text.



17mm / 48px

Minimum height, no use of ‘Raspberry Pi’ text.

The Raspberry Pi text logo should be displayed at a minimum of 30 millimetres height for print and 85 pixels height for screen. When using the non-text logo, a minimum height of 17mm and 48px should be used for print and screen respectively.

Logo Spacing

As shown, our logo must always have clearance space surrounding it to ensure that no other graphics, logos or type interfere with it.





Logo Restrictions

The following alterations to the Raspberry Pi logo are not permitted. Please do not...

- Remove the registered trademark symbol
- Rotate the logo
- Delete or obscure elements of the logo
- Reposition elements of the logo
- Alter the typeface
- Create the logo with a stroke or keyline
- Reduce or enlarge the logo without proportional scale
- Introduce new colours to the logo
- Introduce alternative text



Download Assets

Click the icon to download the Raspberry Pi logo in EPS, PDF and PNG formats.

PLEASE CLICK HERE TO ACCESS FILES

Sub-brands **Powered by Pi**

If your product contains a Raspberry Pi, you may choose to display the "Powered by Raspberry Pi" mark on your product packaging at a width of no less than 30mm, using any of the monochrome versions shown below.



30mm





To use the *Powered By Raspberry Pi* mark on your product, please contact **liz@raspberrypi.org**.



An example of the *Powered by Raspberry Pi* mark applied to packaging.

Sub-brands **Raspberry Jam**

When running a Raspberry Jam in your local area, you are welcome to produce your own promotional materials to advertise the event. However, if you would like to use the Official Raspberry Jam Badge you are free to do so.

When creating your own artwork, please do not use the Raspberry Pi logo as it is a trademark of the Raspberry Pi Foundation.





Example poster layout using the Official Raspberry Jam Badge.

Download Assets

Click the icon to download the Raspberry Jam Badge in EPS and PNG formats.

PLEASE CLICK HERE TO ACCESS FILES

Colours Core palette

Raspberry red

Leaf green

Black

White

Colour	**Pantone®** (special)	**CMYK** (professional and desktop printing)	**RGB** (web and screen)	**HEX** (web and screen)
Raspberry red	P 60-8 C	**C** 15 **M** 100 **Y** 65 **K** 5	**R** 199 **G** 5 **B** 61	#c7053d
Leaf green	P 154-7 C	**C** 53 **M** 0 **Y** 85 **K** 0	**R** 140 **G** 192 **B** 75	#8cc04b
Black	Black 3	**C** 0 **M** 0 **Y** 0 **K** 100	**R** 0 **G** 0 **B** 0	#000000
White	---	**C** 0 **M** 0 **Y** 0 **K** 0	**R** 255 **G** 255 **B** 255	#FFFFFF

Colours Alternative Palette

Where possible, the Raspberry Pi logo must appear in full colour. However, if necessary, a whited-out version of the logo can be used on blocks of colour, and also appear in the following monochrome formats if colour is not possible.







Download Assets

Click the icon to download the Raspberry Pi logo in EPS, PDF and PNG formats.

PLEASE CLICK HERE TO ACCESS FILES

Colours Use of Tints

Core and alternative colours should be used at 100% of their original colour value in most instances. However, if necessary, tints may be used in increments of five for pull-out boxes, graphic elements, accent colours, and to add interest to a page. Tints should not be used as main background colours or in bodies of text.



Font Primary

The minimum font size for body copy set in Roboto is 8 pt. Captions can be set in 6 pt. Leading refers to the spacing between lines of type and, as a general guide, should be set at two points above the type size.

Roboto Thin
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Thin Italic
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Light
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Light Italic
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Regular
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Regular Italic
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Medium
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Medium Italic
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Bold
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Bold Italic
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Black
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Black Italic
abcdefghijklmnopqrstuvwxyz 0123456789

Font Secondary

Roboto Slab is a more ornate typeface, and is recommended for use in conjunction with **Roboto** to add interest to headers and sub-headings.

Roboto Slab Thin
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Slab Light
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Slab Regular
abcdefghijklmnopqrstuvwxyz 0123456789

Roboto Slab Bold
abcdefghijklmnopqrstuvwxyz 0123456789

Download Assets

Click the icons to download Roboto and Roboto Slab from www.fontsquirrel.com

Roboto.ttf

Roboto_Slab.ttf

Photography

Photographs of Raspberry Pi products and events are available upon request (see page 12). We ask that they are displayed at a clear size and are not altered in terms of colour, orientation or proportion.



Example product image



Example event image

Contact

If you have any further queries, or would like to request any logos or other images, please email **liz@raspberrypi.org**.

Alternatively, for design queries please contact Sam Alder at **sam@raspberrypi.org**.